Nonresponsive based on revised scope [@erllc.com] From: Sent: 4/5/2020 12:40:27 PM To: Wagner, Christine [Wagner.Christine@epa.gov] Subject: RE: [EXT]Property 2 Chris, Good morning. and ____ are onsite. Sent from my Verizon, Samsung Galaxy smartphone ----- Original message -----From: "Wagner, Christine" <Wagner.Christine@epa.gov>
Date: 4/4/20 15:24 (GMT-05:00) To: Nonresponsive based on revised scope @erllc.com> Subject: Re: [EXT]Property 2 Thank you > On Apr 4, 2020, at 3:12 PM, Nonresponsive based on revised scope Gerllc.com> wrote: Chris will go down first thing in the morning.

I'll let u know when they are done. > Enjoy the day. Sent from my Verizon, Samsung Galaxy smartphone > ----- Original message ------> From: "Wagner, Christine" <Wagner.Christine@epa.gov> > Date: 4/4/20 14:59 (GMT-05:00) > To: Nonresponsive based on revised scope i@erllc.com> > Subject: [EXT]Property 2 > ***CAUTION*** This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request. > Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.